



Hunt'n in Comfort

Stump 3-Man Assembly Instructions

Parts

Thank you for your purchase of the Stump! The Stump will provide you an enjoyable hunting experience. To ensure your safety and longevity, we ask that you follow the instructions. If during the process of assembly you have questions, please call 800-262-4129 from 8:00–5:00 M-F Central Standard Time.

- 11- 1/4"-20 Lock Nuts
- 21-Flat Washers
- 5- 1/4"-20 x 1" Hex Bolts
- 6- 1/4"-20 x2 1/2" Bolts
- 12-Lag Screws
- 1 - Steel Plate
- 1-Stump Top
- 1-Stump Bottom
- 6-#6 1/2" Truss head bolt (Door)
- 6-#6 lock nuts
- 1-Door
- 3-Door Hinges

*All lumber used for assembly should be green treated wood.

- 1. Unpack the Stump and separate the 4 main parts. (Steel Plate, Stump Top, Door, and Stump Bottom). Take the Stump bottom and flip it over onto it's topside. (So bottom is facing the sky). Take the Steel plate and flip it onto of the Stump Bottom so the plate sits flat to the Stump bottom.
- 2. Line up the steel plate flush with the bottom edge opening of the door on the Stump Bottom. Once plate is lined up and squared up on all sides, drill 1/4" holes into Stump Bottom using the holes in the steel plate as a guide. After holes are drilled out run a 1/4"-20 x 1" bolt through the 5 holes and tighten with washer and lock nut. Be sure to have washer on the side of the poly floor so when tightened the washer is tightening down on the poly. Have the lock nut snug up to the steel plate.

- Home

- Tower Deer Stands
 - Stump Three Man
 - Stump One Man

- Husky Hauler Trailer

- Husky Hauler Sled

- Attack Shack

- Sportsmans Countertop

- Food Plots and Minerals

- Pricing

- Dealer Locator

- Photo Gallery

- Testimonials

- Contact Us

- FAQ



- 3. Once steel plate is attached, flip this bottom unit over onto the steel plate. Take the Stump Door and attach it to the hinges place at the door opening. Make sure the wording and the bark pattern is facing out. Now is time to refer to window kit assembly.



- 4. Take the Stump Top and set it on top of the Stump Bottom. Line up the flanges so that the flange is flush all the way around the stump. Take a 1/4" drill and drill 6 holes evenly spaced out around the stump, preferably under each window. Drill the holes through the bottom flange and through the top flange. **Put your 1/4" x 2 1/2" bolts in each hole, with washers on each side, immediately after drilling out each hole!** After Holes are drilled and bolts are in place tighten the nuts. This will help it keeping it in line as you drill the remaining holes. If you prefer to put the top on after it is elevated, pre drill all the holes and mark them so you can line them up while assembling in the field.
- 5. After all the nuts are tightened set the complete Stump unit on its side. Now your ready to insert your legs.
- 6. Take your **Green Treated** 4x4 and slide them into the steel pockets. Run the 4x4 legs up until they hit the bottom of the seat on the Stump Bottom. Take the lag bolts and screw them into the 4x4 legs through the holes in the 4x4 steel pockets. Two lag bolts for each pocket. Once the lag bolts are in, take 2 x 4's and frame up your legs then you are ready to stand up your Stump.
- 7. We suggest you digging the 4x4 legs into the ground at least two feet or below you suggested frost line. The higher your stand is in the air the further you should dig it into the ground. Proper back fill in the holes is required and packing it in good is necessary. Your type of soil in your area can also be a determinant on how deep you should dig in your legs. We don't suggest going higher that 10 ft. in the air.
- 8. Once you have the Stump set up on its legs you must lag bolt the top of the green treated 4x4. Crawl into the stump and screw down from the seat into the top of the 4x4. Make sure the 4x4 are level before screwing down into the top of them. Use a washer on the

lag bolt when tightening the lag bolt down.

- 9. We suggest for any legs over 6' high to put a series of 2x4's between the legs for cross bracing to tie them all together and give more stability in your legs.
- **10. You are now ready to start hunting out of the Stump!
Good Luck!**

Call (800) 262-4129 or [click here](#) to email your order.

31785 64th Avenue, Cannon Falls, Minnesota 55009

Copyright ©2007